

# Safety Data Sheet

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

Date of Revision: 01/08/2018

Revision: 03

## Section 1 - Chemical Product and Company Identification

1.1 Product Name: **REGEN-less**

1.2 B3C Fuel Solutions LLC, 108 Daytona Street, Conway, SC 29526, 843-347-0482

1.2 **Synonym:** Blend

1.3 Recommended Use: Fuel system treatment

1.4 **RESTRICTIONS on USE** **THIS STABILIZER IS FOR DIESEL ENGINES ONLY**

1.5 Emergency Response Number: **INFOTRAC 800-535-5053**

International Emergency Telephone Number: **+1-353-323-3500**

## Section 2 - Hazards Identification

### 2.1 GHS HAZARD

#### Hazard Classes

**Flammable liquid/vapor**  
**Eye Irritation**  
**Skin Irritation**  
**Acute Toxicity (Oral)**  
**Acute Toxicity (Inhalation)**  
**Acute Toxicity (Dermal)**

#### Hazard Categories

**Category 3**  
**Category 2A**  
**Category 2**  
**Category 4**  
**Category 4**  
**Category 4**

2.2 Signal Word: **Warning**



2.3 Pictograms:

Flame

Irritant

2.4 Hazard Statements

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

<b>PHYSICAL HAZARDS:</b>	H226: Flammable liquid and vapor
<b>HEALTH HAZARDS:</b>	H302: Harmful if swallowed H315: Causes skin irritation H312: Harmful in contact with skin H319: Causes serious eye irritation H332: Harmful if inhaled
<b>ENVIRONMENTAL HAZARDS:</b>	None
<b>PRECAUTIONARY STATEMENTS:</b>	P102: Keep out of reach of children P202: Do not handle until all safety precautions have been read and understood P210: Keep away from sparks and open flames- No smoking P240: Ground or bond container and receiving equipment P241: Use explosion-proof equipment P242 Use only non-sparking tools P243 Take precautionary measures against static discharge P260: Do not breathe vapors P264: Wash hands thoroughly after handling P270: Do not eat, drink or smoke when using this product P280: Wear protective gloves, clothing and eye protection
<b>RESPONSE STATEMENTS:</b>	P301 +P310+ P331: IF SWALLOWED: <u>USA</u> Immediately call the National POISON CENTER at <b>800-222-1222</b> , <u>OUTSIDE USA</u> Immediately call poison center or doctor.DO NOT induce vomiting P303+P361+P353: IF ON SKIN Take off immediately all contaminated clothing. Rinse skin with water P304+P340: IF INHALED. Remove to fresh air and keep comfortable for breathing P305+P351: IF IN EYES rinse cautiously with water for at least 15 minutes P362+P364: IF ON CLOTHING, take off contaminated clothing and wash it before reuse P313+P332+P337: If skin or eye irritation persists get medical attention H314: Get medical attention if you feel unwell

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

**P330:** Rinse mouth  
**P370:** In case of fire use foam, carbon dioxide,  
dry chemical to extinguish fire  
**P376:** Stop leaks if safe to do so.

## STORAGE STATEMENTS:

**P403+P405+P235:** Store in a well-ventilated  
place

## DISPOSAL STATEMENTS:

**P501:** Dispose of content and/or container in  
accordance with local, regional, national. or  
international regulations

**2.5 Hazards not otherwise classified (HNOC) or not covered by GHS:** May be fatal if swallowed and enter the  
airway. Repeated exposure may cause skin dryness or cracking.

## Section 3 - Composition / Information on Ingredients

### 3.1

CAS#	EC#	Chemical Names	Percent	Classification
N/A	N/A	Blend of Ester and Modified Glycol Ether	100%	None

### 3.2 Blend Contains

Chemical Names	CAS#	EC#	Classification
3-Oxa-1-heptanol	111-76-2	203-905-0	Acute Tox. 4 H302, Acute Tox. 4 H312 Skin Irrit. 2 H315, Eye Irrit 2, H319, Acute Tox. 4 H332
AI3-14705	616-38-6	210-478-4	Flam. Liq. 2 H225

**Note:** Read section 11 for additional health hazards no listed by the GHS

**3.3 Trade Secret Provision and Chemical Concentration Disclosure:** In accordance with OSHA and GHS  
Regulations we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations  
have been disclosed as a range and are applicable to the hazards as identified in this Safety Data Sheet

## Section 4 - First Aid Measures

**4.1 Eye:** Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain  
and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get  
medical aid.

**4.2 Skin:** Prolonged and repeated liquid contact can cause defatting and drying of the skin and can lead  
to irritation and/or dermatitis.

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

**Skin:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

**4.3 Ingestion:** Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting leading to central nervous system depression. Aspiration of liquid into the lungs must be avoided as even small quantities in the lungs can produce chemical pneumonia, pulmonary edema and even death.

**Ingestion:** Do NOT induce vomiting. Get medical aid immediately.

**4.4 Inhalation:** Prolonged breathing of high vapor concentrations can produce headache, dizziness, nausea, and impaired vision. Excessive overexposure can cause central nervous system depression, loss of consciousness, liver damage and death resulting from respiratory failure.

**Inhalation:** Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

**4.4.5 After first aid, get appropriate paramedic, or community medical support.** The severity of outcome following an exposure may be more related to the time between the exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.

**4.6 Note to Physicians:** If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment we will immediately disclose the specific chemical identity. Call INFOTRAC 800-535-5053 or +1-352-323-3500. We will require a written statement of need and confidentiality agreement, in accordance with OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will upon written request disclose the specific chemical percentages.

## Section 5 - Fire-Fighting Measures

**5.1 General Fire Hazards:** Use water to cool containers exposed to fire.

**5.2 Hazardous Combustion Products:** Avoid fumes of burning product.

**5.3 Extinguishing Media:** Carbon dioxide, dry chemical, foam.

**5.4 Fire Fighting Equipment/Instructions:** Fire fighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Fire fighters should avoid inhaling any combustion products.

## Section 6 - Accidental Release Measures

**6.1 Spill /Leak Procedures:** Ventilate area. Wear adequate protective equipment. Spillages of liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.

**6.2 Spills:** Avoid direct contact with material. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite or diatomaceous earth and place in a container for disposal.

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

## Section 7 - Handling and Storage

**7.1 Handling Precautions:** Keep away from ignition sources such as heat, sparks and open flames NO SMOKING Take precautionary measures against static discharge. Non-sparking tools should be used. Wear protective gloves, clothing and eye protection. Wash thoroughly after handling. Use good personal hygiene practices and wear appropriate personal protective equipment. Empty containers retain residue and may be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury or death.

**7.2 Storage Requirements:** Store in original manufacture container tightly closed container in a cool, dry, and well-ventilated area.

**7.3 Chemical Incompatibilities:** Strong oxidizing agents and strong reducing agents.

## Section 8 - Exposure Controls / Personal Protection

### 8.1

Chemical Names	ACGIH- TLV	OSHA - PEL
Blend of Ester and Modified Glycol Ether	20 ppm	50 ppm

### 8.2

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

**NOTE: TWA Means** "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour work week which shall not be exceeded."

**8.3 Ventilation:** Provide a general or local exhaust ventilation system to maintain airborne concentrations below TLV/PELs Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

**8.4 Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse.  
Remove this material from your shoes and clean personal protective equipment.

### 8.5 Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the ANSI/ISEA 105-2011 or European EN374 Standard.

Full contact: Viton

Splash contact: Viton-Viton is a Registered Trademark of DuPont Company

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

## Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin and body protection

Impervious clothing, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## 8.6 Protective Clothing Pictograms



## Section 9 - Physical and Chemical Properties

### 9.1

**Physical State:** Liquid

**Appearance:** Various

**Odor:** Petroleum Ether order

**Vapor Pressure:** Not Available

**Vapor Density (Air=1):** .4.1

**Specific Gravity (H<sub>2</sub>O=1,):** Not Available

**Relative Density:** Not Available

**Odor Threshold:** Not Available

**Flammability (solid, gas):** Not Applicable

**Evaporation rate:** Not Available

**Partition coefficient octanol/water:** Not Available

**Water Solubility:** Soluble

**Flash Point:** 106°F (41°C) closed cup

**Boiling Point:** Not Available

**Lower Explosive Limits (vol % in air):** 1%

**Upper Explosive Limits (vol % in air):** 10%

**Melting Point:** Not Available

**Viscosity:** 2.11cSt @104°F, 40°C

**Auto ignition Temperature:** Not Available

**pH:** None

## Section 10 - Stability and Reactivity

**10.1 Stability:** Stable under ordinary conditions of use and storage.

**10.2 Polymerization:** Hazardous polymerization has not been reported.

**10.3 Chemical Incompatibilities:** Strong oxidizing agents and Perchloric Acid

**10.4 Hazardous Decomposition Products:** Peroxides

**10.5 Conditions to Avoid:** Heat, sparks, open flames, other ignition sources.

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

## Section 11- Toxicological Information

### 11.1

Product Name	Results	Species	Dose	Exposure
Blend of Ester and Modified Glycol Ether	Oral LD50	Rat	554.9 mg/kg	None shown
Blend of Ester and Modified Glycol Ether	Dermal LD50	Rabbit	524.9 mg/m3	None shown
Blend of Ester and Modified Glycol Ether	Inhalation LD50	Rat	3.358 mg/l	4 hours

**11.1.1** OECD Guideline 401 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause Oral Toxicity.

**11.1.1.2** OECD Guideline 403 Tests results found in the European Chemical Agency Data Base shows that components of this product to be Inhalation Toxicity.

**11.1.1.3** OECD Guideline 402 Tests results found in the European Chemical Agency Data Base shows that components of this product to Dermal Toxicity.

**11.2 Route of Entry:** Inhalation, Ingestion, Absorption, Skin and/or Eye Contact

**11.3 Aspiration Hazard:** European Chemical Agency Data Base shows that no components of this product may be fatal if swallowed and enters airways. However, test data shows that components of this product will be fatal if swallowed and enters airways.

**11.4 Mutagenicity:** OECD Guideline 476 Tests results found in the European Chemical Agency Data Base show no components of this product to cause genetic defects

**11.5 Skin Corrosion/Irritation:** OECD Guideline 404 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.

**11.6 Serious Eye Damage/Irritation:** OECD Guideline 405 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.

**11.7 Reproductive toxicity:** OECD Guideline 421 Tests results found in the European Chemical Agency Data Base show no components of this product to cause damage to fertility or the unborn child.

**11.8 Skin Sensitisation** OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause skin sensitively.

**11.9 Respiratory Sensitisation** OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause respiratory sensitively.

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

**11.10 Specific Target Organ Toxicity (Single Exposure):** Human exposure above 200 ppm can be expected to cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis, and would be likely to cause fragility of erythrocytes and hematuria.

**11.11 Specific Target Organ Toxicity (Repeated Exposure):** None

**11.12 Signs and Symptoms:** Swallowing results in a sour taste that turns to a burning sensation and is followed by numbness of the tongue which indicates paralysis of the sensory nerve endings. Central nervous system depression, headache, narcosis.

**11.13 Carcinogenicity:** OECD Guideline 453 Tests results found in the European Chemical Agency Data Base shows that no components of this product to cause cancer.

Chemical Name	IARC	ACGIH	NTP	OSHA
Blend of Ester and Modified Glycol Ether	Not classified as a carcinogenicity to humans	Not Listed	Not listed	Not Listed

## Section 12 - Ecological Information

### 12.1

Product Name	Results	Species	Exposure
Blend of Ester and Modified Glycol Ether	LC50 220 mg/l	Fish	96 hours
Blend of Ester and Modified Glycol Ether	EC50 1,815 mg/l	Daphnia	24 hours
Blend of Ester and Modified Glycol Ether	LC50 900 mg/l	Algae	72 hours

**Toxicity:** OECD Guideline 204 Test results found in the European Chemical Agency Data Base show no components of this product to cause long-term toxicity to aquatic life.

**12.2 Mobility:** Floats on water

**12.3 Persistence/degradability:** Inconclusive technical data.

**12.4 Bioaccumulation:** Inconclusive technical data.

**12.5 Other adverse effects:** Inconclusive technical data.

## Section 13 - Disposal Considerations

**13.1 Disposal: DO NOT REUSE EMPTY CONTAINER!** Container should be completely emptied prior to discard. Container with residues should be considered to be hazardous wastes. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.



# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

## Section 14 - Transport Information

### 14.1 DOT Transport Information



**ID No.:** UN 1992

**Shipping Name:** Flammable liquids, toxic, n.o.s. (A13-14705, 3-Oxa-1-heptanol)

**Hazard Class:** 3(6.1)

**Packing Group:** III

**Label:** Flammable, Toxic

**Placard:** Flammable

### 14.2 TDG Canadian Transport Information



**ID No.:** UN 1992

**Shipping Name:** Flammable liquids, toxic, n.o.s. (A13-14705, 3-Oxa-1-heptanol)

**Hazard Class:** 3(6.1)

**Packing Group:** III

**Label:** Flammable, Toxic

**Placard:** Flammable, Toxic

### 14.3 IMDG Transport Information



**ID No.:** UN 1992

**Shipping Name:** FLAMMABLE LIQUIDS, TOXIC, N.O.S. (A13-14705, 3-oxa-1-heptanol)

**Hazard Class:** 3(6.1)

**Packing Group:** III

**Label:** Flammable, Toxic

**Placard:** Flammable, Toxic

**Flash Point:** (41 °C c.c.)

**EmS Number:** F-E, S-D

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

## 14.4 ADR/RID Transport Information



**ID No.:** UN 1992

**Shipping Name:** Flammable liquids, toxic, n.o.s. (A13-14705, 3-Oxa-1-heptanol)

**Hazard Class:** 3(6.1)

**Packing Group:** III

**Label:** Flammable, Toxic

**Placard:** Flammable, Toxic

**Classification Code:** FT1

## 14.5 Australian Dangerous Goods Transport Information



**ID No.:** UN 1992

**Shipping Name:** Flammable liquids, toxic, n.o.s. (A13-14705 3-Oxa-1-heptanol)


**Hazard Class:** 3(6.1)

**Packing Group:** III

**Label:** Flammable, Toxic

**Placard:** Flammable, Toxic

## 14.6



Use marking when shipping as a limited quantity ground in the US

### DOT Transport Limited Quantity/Consumer Commodity

Inner packaging not over


5.0L (1.3 gallons) net capacity each.

Outer Package not over 30kg (66lbs) each

## REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

14.7




Use marking when shipping as a limited quantity ground in the Canada

### TDG Canada Transport Limited Quantity

Inner packaging not over  
5.0L (1.3 gallons) net capacity each.  
Outer Package not over 30kg (66lbs) each

14.8



Use marking when shipping as a limited quantity by vessel

### IMDG Transport Limited Quantity

Inner packaging not over  
5.0L (1.3 gallons) net capacity each.  
Outer Package not over 30kg (66lbs) each

**ID No.:** UN 1992

**Shipping Name:** FLAMMABLE LIQUIDS, TOXIC, N.O.S. (A13-14705, 3-oxa-1-heptanol) LTD.QTY.

**Hazard Class:** 3(6.1)

**Packing Group:** III

**Flash Point:** (41 °C c.c.)

**EmS Number:** F-E, S-D

## Section 15 - Regulatory Information

### 15.1 US Regulations:

**TSCA: US. Toxic Substances Control Act:** All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

**CERCLA Hazardous Substances and corresponding RQs:** None

**SARA Community Right-to-Know Program:** None

**Clean Water Act:** None

**Clean Air Act:** None

**OSHA:** All ingredients are listed in 1910.1200

# REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

## State Regulations

**California prop. 65:** None

### Chemicals on the following State Right to Know Lists:

**Massachusetts:** All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements

**New Jersey** All components of this product are on the New Jersey inventory or are exempt from Inventory requirements

**Pennsylvania:** All components of this product are on the Pennsylvania Inventory or are exempt from Inventory requirements

### 15.2 Canadian Regulation:

**The following substances are specified on the public Portion of the Domestic Substances List (DSL):** All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

### 15.3 Europe Regulations

All substances contained in this product are listed on the EU directives or are not required to be listed.

### 15.4 International Regulations:

**Australian Inventory of Chemical Substance:** All components of this product are on the Inventory or are exempt from Inventory requirements

**National Existing Chemical Inventory in Taiwan:** All components of this product are on Inventory or are exempt from Inventory requirements

**Philippine Inventory of Chemicals and Chemical Substances** All components of this product are on the Inventory or are exempt from Inventory requirements

**China Existing Chemical Inventory:** All components of this product are on the Inventory or are exempt from Inventory requirements

## Section 16 - Other Information

**16.1 Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

**16.2 References:** CHEMpendium data base of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller on Line, European Chemical Agency Data Base and MSDS and SDS of chemicals in this mixture.

## REGEN-less

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System  
Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and  
Communication of Hazards and Risks of Hazardous Chemicals in the Workplace  
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274  
of the Work Health and Safety Act

**16.3 SDS Preparation Date** 06/08/2015

**SDS Previous Issue Date:** None

**SDS Revision Date:** 6/13/2017 Revised sections 2,4,5,9,11

**SDS Revision Date:** 01/08/2018 Revised sections 2,3,8,11,14

Prepared by SJC Compliance Education, Inc.

16516 El Camino Real suites 417

Houston, TX. 77062