



DEF CONTAMINATION TEST

TEST FOR CONTAMINATION IN
DIESEL EXHAUST FLUID



SIMPLE TO USE / LOW COST:

WHY TEST?

It is important to keep Diesel Exhaust Fluid (DEF) free of contamination. Contamination can shorten the life of, or damage, the SCR system (Selective Catalytic Reduction).

WHAT are you TESTING for?

CONTAMINATION such as diesel fuel, oil, gasoline, and other hydrocarbons.

HOW can you TEST for DEF CONTAMINATION?

DEF TEST STRIPS

Our DIP and DETECT test strips are simple. Just DIP into the DEF fluid in the DEF tank. Any color change indicates oil contamination.

Step 1: If necessary, attach strip to extender (e.g. alligator clip, dowel rod & rubber band). Note: Extender is not included.

Step 2: Submerge strip into Diesel Exhaust Fluid in the DEF tank.

Step 3: Remove strip and view.

Step 4: Any color change indicates contamination. Follow manufacturer's recommended procedure for contaminated fluid.

DIP & DETECT TEST STRIPS ARE SIMPLE:

DIP IN DEF FLUID IN THE DEF TANK
ANY COLOR CHANGE INDICATES OIL
CONTAMINATION

TESTS FOR DIESEL, OILS, HYDROCARBONS, GAS
PROLONG THE LIFE OF THE SCR SYSTEM
(SELECTIVE CATALYTIC REDUCTION)



**No Color
Change = PASS**

**Darker Color
Change = FAIL**



Simple Dip & Detect Quick Test

