

**FIX, MAINTAIN, & PROTECT YOUR INVESTMENT.  
OPTIMIZE YOUR PERFORMANCE.**



**ENGINE &  
EQUIPMENT  
PERFORMANCE  
SOLUTIONS**





## ADVANCED TECHNOLOGY TO FIX, MAINTAIN, & PROTECT YOUR ENGINES, EQUIPMENT, & OTHER VALUABLE INVESTMENTS

B3C Fuel Solutions LLC (B3C) is a world leading manufacturer of advanced cutting-edge solutions including additives and patented fluid-drying technologies for gasoline, diesel and oils, as well as ground-breaking advanced bio-engineered lubricants and other solutions.

**With a goal of 100% sustainable products, our solutions help benefit you while delivering environmentally responsible goals that benefit the planet.**

### TABLE OF CONTENTS

PRODUCT CATEGORY	PAGE NUMBER
<b>TESTING</b> .....	3-6
<b>GASOLINE &amp; DIESEL SOLUTIONS</b>	
Mechanic In A Bottle All Engine Fuel Additive (Gas & Diesel).....	7
Ethanol Shield Fuel Stabilizer (Gas).....	8
Ethanol Shield Marine Fuel Stabilizer & Preservative (Gas).....	9
Fuel Life In-Tank Fuel Stabilizing Filter (Gas).....	10
Ethanol Shield 2-Cycle Oil with Fuel Stabilizer (Gas).....	11
Diesel Water Absorbers (Diesel).....	12
<b>OIL &amp; LUBRICANT SOLUTIONS</b>	
Hydraulic Oil Fix (Bio-Engineered).....	14
Oil & Headspace Water Absorbers (Storage).....	15
Oil Water Absorbers (In Equipment Tank).....	16
Oil Lock Super Fuel & Oil Spill Absorbent & Solidifier.....	17
Mechanic In A Bottle Bar & Chain Lubricant (Bio-Engineered).....	18
Better Than Oil Bar & Chain Lubricant CONCENTRATE (Bio-Engineered).....	19
Mechanic In A Bottle Penetrating Lubricant (Bio-Engineered Gel / Spray).....	20
Mechanic In A Bottle Pressure Washer Pump Saver (Bio-Engineered).....	21
<b>HOME / OTHER SOLUTIONS</b>	
Mulch Stay-Put Mulch & Stone Glue & Preservative.....	22
<b>DEALER / SERVICE</b>	
Mechanic In A Bottle Pro Servicing Dealer Technology.....	23
<b>PART NUMBERS</b> .....	24-26

All information in this flyer is confidential and subject to change without notice.  
Please contact B3C Fuel Solutions when placing orders. We appreciate your business!

Contact us today. For more information, sell sheets, and third party test results, visit [B3Cfuel.com](http://B3Cfuel.com)

Page 2





# GASOLINE QUALITY 2-in-1 QUICK TEST



## THE FIRST LINE OF DEFENSE IN ENGINE & FUEL SYSTEM PROTECTION

USE FOR ALL  
GASOLINE  
APPLICATIONS



### WHY TEST TODAY'S MODERN ETHANOL BLENDED GASOLINE?

- Ethanol attracts water (hygroscopic); more alcohol, more problematic
- Corrosive ethanol/water mix falls to the tank bottom (phase separation) and is pulled into the engine
- Ethanol blended gas decomposes in as little as 30 days
- Severe ENGINE DAMAGE can occur when run on marginal gas
- Damage includes carbon, varnish, rust, gumming, brittle / broken rubber and plastic parts, corrosion and more
- **The result of bad gas is POOR or NON-RUNNING engines**

### E-15 EXPANDING; MISFUELING CONCERNS

- E-15 or higher is expanding across the US
- E-15 or higher degrades faster, causing more issues than E-10
- Pumps are confusing and people buy the cheapest gas (with highest alcohol)
- E-15 summer waiver allows selling E-15 during lawn & garden season (formerly prohibited)




### HOW CAN TESTING HELP?

- TEST to keep from using bad gas
- TEST to determine if bad gas was used (helps reduce warranty claims)
- IDENTIFY & DIAGNOSE decaying or stale gasoline
- IDENTIFY & DIAGNOSE phase separation & water



Varnish



White Rust



Dried Rubber



Phase Separation

### SIMPLE, QUICK, LOW COST

- DIP 2-in-1 Test Swab in your fuel tank or container.
- Check the test chart color. Any color not white indicates decaying or bad gas. Blue on the tip indicates water.
- PRO swabs for SERVICING DEALERS are pass / fail format - any color beyond white is failure.



100 count PRO Swabs  
Part # 7-100



3 pack gas swabs  
Part # 7-903



# DIESEL QUALITY 4-in-1 QUICK TEST




THE FIRST LINE OF DEFENSE IN  
ENGINE & FUEL SYSTEM PROTECTION

USE FOR ALL  
DIESEL  
APPLICATIONS



## WHY TEST TODAY'S MODERN DIESEL FUEL?

- Up to 20% Bio-Diesel
- Up to 10 X more water
- Biodegradable
- Prone to fuel fouling
- Corrodes fuel system components
- Harmful to rubber and plastic
- Acts as a solvent
- Gelling in cold weather
- 83% of diesel tanks exhibit corrosion



## HOW CAN TESTING HELP?

- TEST to avoid using bad diesel that leads to fuel system problems
- TEST to identify issues with your current diesel fuel & tanks
- QUICKLY IDENTIFY 4 KEY ISSUES WITH 1 TEST:
  - Bad diesel fuel (oxidation)
  - Water contamination
  - Rust & scale
  - Sludge & asphaltenes




Bad Diesel Fuel  
& Water



Rust & Scale



Sludge &  
Asphaltenes



Microbial Growth



Clogged Injectors



Clogged Filters

## SIMPLE, QUICK, LOW COST

- ATTACH test swab to extender and DIP 4-in-1 Test Swab in your fuel tank or container.
- Check the test chart color to determine fuel quality and the presence of contamination (diesel fuel oxidation, water, rust, sludge / asphaltenes).



### DIESEL FUEL OXIDATION TEST CHART



### FUEL TANK CONTAMINATION CHART



10 Pack Diesel Swabs (+ extender)  
Part # 7-014





# DEF CONTAMINATION TEST

TEST FOR CONTAMINATION IN  
DIESEL EXHAUST FLUID



**SIMPLE TO USE / LOW COST:**

## WHY TEST?

It is important to keep Diesel Exhaust Fluid (DEF) free of contamination. Contamination can shorten the life of, or damage, the SCR system (Selective Catalytic Reduction).

## WHAT are you TESTING for?

**CONTAMINATION** such as diesel fuel, oil, gasoline, and other hydrocarbons.

## HOW can you TEST for DEF CONTAMINATION?

### DEF TEST STRIPS

Our DIP and DETECT test strips are simple. Just DIP into the DEF fluid in the DEF tank. Any color change indicates oil contamination.

**Step 1:** Fold test paper and attach to alligator clip on end of extendable alligator clip as shown (included).

**Step 2:** Submerge strip into Diesel Exhaust Fluid in the DEF tank.

**Step 3:** Remove strip and view.

**Step 4:** Any color change indicates contamination. Follow manufacturer's recommended procedure for contaminated fluid.


DIP & DETECT TEST STRIPS ARE SIMPLE:  
DIP IN DEF FLUID IN THE DEF TANK  
ANY COLOR CHANGE INDICATES OIL  
CONTAMINATION  
TESTS FOR DIESEL, OILS, HYDROCARBONS, GAS  
PROLONG THE LIFE OF THE SCR SYSTEM  
(SELECTIVE CATALYTIC REDUCTION)



## Simple Dip & Detect Quick Test

**No Color  
Change = PASS**


**Darker Color  
Change = FAIL**





**URNS DARKER BLUE WHEN HYDROCARBONS ARE PRESENT**  
**FAST, EASY, ACCURATE, LOW COST**

**\* DETECTS HYDROCARBONS LIKE CRUDE OIL, GAS, DIESEL, JET FUEL, HEATING OIL, BENZENE, CHLORINATED SOLVENTS, LUBRICATING OIL, KEROSENE, MUCH MORE**



The Hydrocarbon Detection Strip turns a darker blue when hydrocarbons are present.

Note: Images for visual purposes only. Packaging, branding, etc. are subject to change.

## PRODUCT DESCRIPTION:

The Hydrocarbon Detection Strips can quickly and accurately determine the presence of hydrocarbons in water. When the Hydrocarbon Detection Strip is introduced into a potential hydrocarbon situation, the light blue strip will turn a darker blue if hydrocarbons are present. The color intensity and size of the darker blue areas are indicators of the quantity of hydrocarbons contained in the sample. If the sample contains no hydrocarbons, the strip will not moisten or discolor.

## PRODUCT APPLICATIONS:

Hydrocarbon Detection Strips can be used to detect hydrocarbon contaminated water in elevator shafts, underground utility vaults and manholes, retention and secondary containment vessels, and out-fall on oil-water separators prior to pumping out the water.

## PERFORMANCE SPECIFICATIONS:

The sensitivity of the Hydrocarbon Detection Strip is dependent upon the solubility of the hydrocarbons. By moving the strip back and forth a few times at the surface of the water, the following values can be detected:

Example of Hydrocarbons	Lower Limit PPM of Water	Clearly Detectable PPM of Water
Petroleum Ether (B.P. 40-80C)	250 PPM	400 PPM
Gasoline (High Octane)	10 PPM	25 PPM
Heating Oil	5 PPM	10 PPM
Lubricating Oil	1 PPM	5 PPM

When testing volatile substances, the color reaction must be evaluated immediately due to rapid fading.

## BENEFITS:

- The Hydrocarbon Detection Strips measure approximately 2.75" x .75".
- The Hydrocarbon Detection Strips can detect the presence of hydrocarbons in water prior to pumping, thus eliminating potential fines.





**AUTO / TRUCK / MARINE / POWERSPORT / SMALL ENGINE**  
**FUEL SYSTEM CLEANER & FUEL STABILIZER**

**FIX & MAINTAIN ALL GAS & DIESEL ENGINES**

**FOR PEAK ENGINE PERFORMANCE**

This ultra-concentrated synthetic gasoline & diesel additive is for use in all gas, gas-ethanol blends, diesel and biodiesel blends. Just pour in the fuel tank of any 2-cycle, 4-cycle, or diesel engine to help fix & maintain your cars, trucks, boats, tractors, small engines and more. Use regularly to maintain **PEAK ENGINE PERFORMANCE**.

- Cleans injectors and the entire fuel system so that it starts efficiently and operates in top condition
- Fuel stabilizer keeps fuel fresh; protects the engine, prevents problems & helps with easy starts after storage
- Superior antioxidant and anticorrosive package
- Removes varnish, shellac, carbon deposits and disperses water in the fuel system
- Helps prevent the formation of fuel contaminants including gums, varnishes, sludge deposits, bacteria, fungus
- On machine carburetor, injector, & internal engine component cleaning
- Reconditions rubber and plastic components and rejuvenates rubber gaskets and seals
- Replaces lost lubrication, extending the life of pumps and injectors
- Helps revitalize old fuel

AVAILABLE  
IN 4, 8, 16,  
24 OZ AND  
GALLONS

NEW  
**16 oz**  
SIZE  
SHOWN



Scan with phone  
camera & click on  
link that pops up for  
live test and demo



Page 7



**B3C FUEL SOLUTIONS**  
PHONE: 843. 347. 0482  
FAX: (866) 929-7173  
B3CFuel.com



For our **FULL CATALOG**, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.







**KEEPS  
FUEL FRESH**

**AMERICA'S FAVORITE FUEL STABILIZER**

**EASY STARTS  
AFTER STORAGE**

- New standard of antioxidants and anticorrosives
- Vapor corrosion inhibitor protects against corrosion above and below the fuel line for non-ferrous metals
- Proprietary top tier detergent reduces need for higher octane as machine ages
- Phase separation inhibitor
- All metal anticorrosive package (top Level ASTM & NACE ratings)
- Superior antioxidant package
- Bonds 2 Cycle Oil to gasoline / ethanol mix
- Combustion Cool Technology (CCT)
- Upper cylinder lubrication
- Rubber and plastic protection
- Dramatically slows fuel aging

AVAILABLE  
IN 4, 8,  
24 OZ AND  
GALLONS



Scan with phone  
camera & click on  
link that pops up for  
live test and demo







**AMERICA'S FAVORITE FUEL  
STABILIZER INTRODUCES:**

# **ETHANOL SHIELD MARINE**

## **FUEL STABILIZER & PRESERVATIVE**

**AFTER 15 YEARS AND OVER 20 MILLION BOTTLES SOLD, AMERICA'S  
FAVORITE FUEL STABILIZER IS NOW AVAILABLE IN A FORMULA  
SPECIFICALLY ENGINEERED FOR MARINE ENGINES.**

**TRUST YOUR ENGINE WITH A PRODUCT THE OEMS TRUST & USE!**

- Use Year Round for Peak Engine Performance & Advanced Protection
- Preserves Fuel, Keeps Fuel Fresh & Dramatically Slows Fuel Aging (see Third Party Test Results)
- Proprietary Top Tier P.E.A. Based Detergent — keeps carburetor and injectors clean, prevents ring sticking, & carbon & varnish build-up in your engine to keep it running like new
- Phase Separation Inhibitor / Helps Remove Water
- 3X All Metal Anticorrosive Package (Top Level ASTM & NACE Ratings)
- 2X Antioxidant Package - Antioxidants Compared To Leading Competitors
- Upper Cylinder Lubrication
- Octane Stabilizer
- For All Engines, 2 & 4 Cycle and All Gasolines, with or without Ethanol

AVAILABLE IN:  
24 OZ AND  
GALLONS



Scan with phone  
camera & click on  
link that pops up for  
HOW TO USE video



Page 9



**B3C FUEL SOLUTIONS**  
PHONE: 843. 347. 0482  
FAX: (866) 929-7173  
B3CFuel.com



For our FULL CATALOG, place your  
phone camera over the image to the  
right, then click the link that pops up.  
Or enter <https://bit.ly/B3Ccatalog>  
in any web browser.



# FUEL LIFE™

IN-TANK FUEL STABILIZING FILTER



ECO-FRIENDLY CHEMICAL-FREE FUEL STABILIZER

YEAR-ROUND, TOTAL EQUIPMENT PROTECTION

OEM TESTED, USED & APPROVED

WORLDWIDE COMPLIANCE



## SET IT & FORGET IT



## IT KEEPS GAS FRESH



**CONTAMINATION PROTECTION:** Prevents formation of contaminants (gums, varnish) that clog the fuel system leading to starting and operating problems

**WATER PROTECTION:** Removes water; Prevents water (phase) separation

- Removes water & contaminants
- Stabilizes fuel
- Prevents ethanol issues
- Stops phase separation
- Protects from corrosion and varnish
- Continuous, multi-year protection
- Use in all fuels and fuel blends
- No chemicals
- Multi-patented



### 2-PACK

- Single Package contains 2 filters and 2 sets of tethers, tags, clips
- POS Ready Case includes 9 Single Packages



Scan with phone camera for How-To-Use videos

FOR STATIONARY & NON-PASSENGER GASOLINE EQUIPMENT

Drop In Tank for Total Equipment Protection

www.B3Cfuel.com 843-347-0482







**OEM Used, Tested & Approved**

**Used in Over 20 Million Pieces of Equipment**

# **2 CYCLE OIL**

## **WITH FUEL STABILIZER**

### **PREMIUM 2-IN-1 FORMULA 2-CYCLE OIL WITH ETHANOL SHIELD FUEL STABILIZER**

- Proprietary Top Tier Detergent
- Protects & Prevents Repairs
- Extends Engine Life
- Stabilizes Fuel up to 1 Year with Ethanol Shield 
- Protects Against all Ethanol Issues
- Triple Antioxidants Preserve Fuel
- Ethanol Shield Rust & Corrosion Inhibitors 
- Bonds 2 Cycle Oil to Fuel 
- Ethanol Shield Protects Rubber Components 
- Reduces Engine Temperature (CCT)
- Protects Against Ring Wear / Sticking
- Low Smoke Formula
- Semi-Synthetic Oil Blend
- Exceeds: JASO FD, ISO-L-EGD, API TC and TISI performance standards



**1 Gallon 50:1 MIX**




**No other 2-cycle oil has these unique features!**

## PROBLEM:

WATER is in every diesel tank and is the root cause of problems like bacteria, fungus, sludge, & more. Remove the water, remove the problems.

## WHERE DOES WATER COME FROM?

- Condensation through fuel system vents
- External leaks in the tank
- Heating and cooling from temperature variations
- Inherent to ULSD



**SOLUTION:** DIESEL TANK SNAKE water absorbers for diesel fuel provide superior water removal and protection (keeps water out) for the entire diesel fuel system. **Remove the water, remove the problem.**

- REMOVES WATER, RUST, SALTWATER, DEF from fuel storage tanks
- EASY INSTALL & REMOVE by included high strength tether line
- NEODYMIUM MAGNETS remove insoluble rust (storage only)
- SIZES TO FIT ALL TANKS

**INSTANT** version removes water quickly (approx. 30-60 min), then disposable



**STORAGE** version removes water within 2 or more days and is reusable (replace every 6 months)



## Tank Snake Sizes & Options

DIESEL TANK SNAKES	PROTECTION	TIMING	TYPE	LENGTH (FEET)	DIAMETER (INCHES)	COLOR
1. INSTANT	WATER ONLY	FAST / 30 - 60 MIN	DISPOSABLE	2 to 4 ft	2 in	YELLOW
2. SMALL TANK	WATER + RUST	CONTINUOUS / 2 DAY+	REUSEABLE	2 ft	1 in	RED
3. STORAGE TANK	WATER + RUST	CONTINUOUS / 2 DAY+	REUSEABLE	1, 3, 5, 7, 10, 14 ft	2 in	BLACK
4. STORAGE TANK (heavy duty)	WATER + RUST	CONTINUOUS / 2 DAY+	REUSEABLE	1.5 ft	2.5 in	WHITE

\* custom sizes available

Page 12





A large yellow excavator is shown in the foreground, its arm extended and bucket lowered into a pile of dirt. The excavator is positioned on a construction site with trees in the background. The text 'OIL & LUBRICANT SOLUTIONS' is overlaid in the center of the image.

# OIL & LUBRICANT SOLUTIONS



## MECHANIC IN A BOTTLE HYDRAULIC OIL FIX & STABILIZER

Fixes & Stabilizes Emulsified Oil

### Prevent Problems • Fix Oil • Flush & Clean Oil System

**PROBLEM:** All oils, including new oils, are affected by water. Bound water in oil has no lubrication (stiction, loss of productivity). Dissolved water molecules (polar) actively seek other polar molecules, including metals, additives such as detergents, antioxidants, friction modifiers, and anti-wear additives. Water will come out of suspension and form white gummy masses in various areas of the unit (can not be flushed). Any oil with water exceeding 300 PPM is corrosive leading to rust, hydrolysis, sludge. Emulsified water can cause oil to behave unexpectedly, and can cause clogged filters, and increased oil acidity.

**SOLUTION:** Mechanic In A Bottle Hydraulic Oil Fix & Stabilizer can FIX and PREVENT emulsified oils so that equipment runs and operates at maximum efficiency. It will FIX milky, contaminated hydraulic oil and improve machine performance.

## WORKS IN ALL OILS

HYDRAULIC, ENGINE (CONVENTIONAL, SYNTHETIC), GEAR, TRANSMISSION, POWER STEERING, TRANSFER CASE, TURBINE, COMPRESSOR, DIFFERENTIAL, MORE.

- ◆ STABILIZES OIL
- ◆ OIL SYSTEM FLUSH
- ◆ ADDS LUBRICITY
- ◆ RESTORES VISCOSITY
- ◆ ANTI-CORROSION
- ◆ NEUTRALIZES ACIDS
- ◆ ENCAPSULATES WATER
- ◆ HELPS FIX EMULSIFIED OIL
- ◆ INCREASES BASE NUMBER
- ◆ HELPS CLEAN OIL SYSTEM
- ◆ PATENT PENDING

### Does not contain harmful:

- Petroleum Distillates
- Alcohol
- Glycol Ethers



Scan with phone camera & click on link that pops up for live test and demo



BEFORE  
TREATMENT:



AFTER  
TREATMENT:



AVAILABLE IN 24 & 128 OZ.  
CALL FOR OTHER SIZES

Page 14



B3C FUEL SOLUTIONS  
PHONE: 843. 347. 0482  
FAX: (866) 929-7173  
B3CFuel.com



## Fix & Prevent Fuel & Oil Related Issues

For our FULL CATALOG, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.







**PROBLEM:** NEW OIL AND STORED OIL OFTEN CONTAIN HIGH LEVELS OF BOUND WATER CONTAMINATION THAT GETS WORSE OVER TIME. THIS GETS IN THE EQUIPMENT'S HYDRAULIC SYSTEM, LEADING TO SLUGGISH PERFORMANCE AND COSTLY INTERNAL COMPONENT DAMAGE.


**SOLUTION:** MOLECULAR WATER ABSORBERS FOR OIL IN STORAGE (DRIES OIL & HEADSPACE)

**1 USE IN 55 GAL DRUMS IN STORAGE; KEEPS HEADSPACE DRY & OIL DRY, FRESH & STABILIZED**



**PART # DZ-24-DF: SIZED TO FIT 55 GALLON DRUMS**

- REMOVES WATER IN OIL & DRUM HEADSPACE DURING STORAGE
- HELPS STABILIZE OIL
- SUSPENDED BY FLOAT WITHIN OIL
- SIMPLE TO USE; LOW COST
- DISPOSABLE




**2 USE IN 275+ GAL TOTES IN STORAGE; KEEPS HEADSPACE DRY & OIL DRY, FRESH & STABILIZED**



**PART # DZ-24-TF: SIZED TO FIT 275+ GALLON TOTES**

- REMOVES WATER IN OIL & TOTE HEADSPACE DURING STORAGE
- HELPS STABILIZE OIL
- SUSPENDED BY FLOAT WITHIN OIL
- SIMPLE TO USE; LOW COST
- DISPOSABLE





**PROBLEM:** NEW OIL AND STORED OIL OFTEN CONTAIN HIGH LEVELS OF BOUND WATER CONTAMINATION THAT GETS WORSE OVER TIME. THIS GETS IN THE EQUIPMENT'S HYDRAULIC SYSTEM, LEADING TO SLUGGISH PERFORMANCE AND COSTLY INTERNAL COMPONENT DAMAGE.

**SOLUTION:** MOLECULAR WATER ABSORBERS FOR OIL ON MACHINE (DRIES OIL IN TANK)

## 1 USE IN TANK ON SMALL SIZE EQUIPMENT TO KEEP OIL DRY, FRESH & STABILIZED

PATENTED




EXAMPLE EQUIPMENT TYPE

**PART # DZ-07-SS:** APPROX. SIZE: 7 INCH LONG X 1 INCH DIAMETER



- MOLECULAR SIEVE DRYING TECHNOLOGY
- REMOVES WATER IN OIL
- HELPS KEEP OIL DRY, FRESH, STABILIZE
- SIMPLE TO USE; LOW COST
- TETHERED & CLIPPED FOR EASY RETRIEVAL
- DISPOSABLE



## 2 USE IN TANK ON MEDIUM SIZE EQUIPMENT TO KEEP OIL DRY, FRESH & STABILIZED

PATENTED




EXAMPLE EQUIPMENT TYPE

**PART # DZ-12-MS:** APPROX. SIZE: 12 INCH LONG X 1 INCH DIAMETER



- MOLECULAR SIEVE DRYING TECHNOLOGY
- REMOVES WATER IN OIL
- HELPS KEEP OIL DRY, FRESH, STABILIZE
- SIMPLE TO USE; LOW COST
- TETHERED & CLIPPED FOR EASY RETRIEVAL
- DISPOSABLE
- CAN BE USED IN UP TO 5 GALLON BUCKETS FOR STORAGE




## 3 USE IN TANK ON LARGE SIZE EQUIPMENT TO KEEP OIL DRY, FRESH & STABILIZED

PATENTED




EXAMPLE EQUIPMENT TYPE

**PART # DZ-36-LS:** APPROX. SIZE: 36 INCH LONG X 2 INCH DIAMETER



- MOLECULAR SIEVE DRYING TECHNOLOGY
- REMOVES WATER IN OIL
- HELPS KEEP OIL DRY, FRESH, STABILIZE
- SIMPLE TO USE; LOW COST
- TETHERED & CLIPPED FOR EASY RETRIEVAL
- DISPOSABLE
- CAN BE USED IN DRUMS AND TOTES FOR STORAGE







**ABSORBS AND SOLIDIFIES CRUDE OIL, GAS, DIESEL, JET FUEL, HEATING OIL, BENZENE, CHLORINATED SOLVENTS, LUBRICATING OIL, KEROSENE, MUCH MORE**

**INSTANTLY ABSORBS AND SOLIDIFIES OIL AND OTHER HYDROCARBONS THROUGH MOLECULAR CAPTURE**

## PRODUCT DESCRIPTION:

B3C's Oil Lock is a super absorbent that quickly absorbs and solidifies oil and other hydrocarbons through molecular capture, creating a non-leaching, low volumetric barrier that immobilizes the hydrocarbon, which is converted into a solid matrix.

Oil Lock immobilizes spills in water or on land by converting liquid petroleum or hydrocarbons (like fuel) into a solid matrix. Once absorbed, Oil Lock will not leach, even under pressure. This solid matrix, and any remaining oil lock material will float (until removed). Oil Lock also reduces or eliminates flammable vapors to reduce the risk of fire or explosion. Finally, Oil Lock is hydrophobic, meaning it absorbs the hydrocarbon and not water. Many wastes when treated with B3C's Oil Lock will pass EPA 9095 (Paint Filter Test) as well as TCLP.

## PRODUCT APPLICATIONS:

Common applications include spills at marinas, oil rigs, fueling locations, shops, refineries, emergency and spill response, remediation of contamination and more.

## ABSORPTION CAPACITY:

Crude Oil, Diesel Oil, Heating Oil, etc.....up to 11 times its weight  
Solvents, Gasoline and Other Highly Refined Products.....up to 7 times its weight

*Note: the presence of detergents as in the case of "synthetic" motor oils, can significantly reduce the absorption capacity of this product. Please contact us for more information.*

- Cost effective
- Works instantly
- Saves labor
- Hydrophobic and oleophilic
- Easily skimmed from water surface
- Remains buoyant
- Super absorbent
- Non-hazardous disposal\*
- Easily collected and disposed of by incineration. Heat of Combustion = 19,300 BTU/lbs. Ash < 0.1%

**DIESEL  
FUEL SPILL:**



**SOLIDIFIED  
BY OIL LOCK:**



\* Always check with local, state, and federal authorities

Page 17



**B3C FUEL SOLUTIONS**  
PHONE: 843. 347. 0482  
FAX: (866) 929-7173  
B3CFuel.com



For our FULL CATALOG, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.





## MECHANIC IN A BOTTLE BAR & CHAIN LUBRICANT

**PROBLEM:** Bar & Chain Oil is a “Total Loss Lubricant”, meaning 100% of this nonbiodegradable oil ends up on the ground as a contaminant. Each year, over 18 MILLION Gallons of petroleum-based bar & chain oil pollute the Earth. As little as 1 gallon of petroleum-based Bar & Chain Oil can contaminate 1 MILLION gallons of drinking water.

**B3C's MECHANIC IN A BOTTLE Bar & Chain Lubricant** is a ground-breaking, new, environmentally friendly, oil free, water soluble bar & chain lubricant that contains no petroleum ingredients.

**PLANT-BASED AND BIODEGRADABLE**

- ◆ WORKS IN ALL CHAINSAWS - GAS, BATTERY, ELECTRIC
- ◆ ULTRA-LOW FRICTION HELPS INCREASE BATTERY LIFE
- ◆ HIGH TACK FORMULA HELPS REDUCE SLING & THROW OFF
- ◆ ANTI-WEAR ADDITIVE TO HELP EXTEND BAR & CHAIN LIFE
- ◆ ALL SEASON PERFORMANCE
- ◆ RUST & CORROSION INHIBITORS
- ◆ BIO BASED AND BIODEGRADABLE\*
- ◆ CONTAINS NO PETROLEUM INGREDIENTS
- ◆ PATENT PENDING



Non-staining on pavers, concrete, house paint / siding, walkways, & more



Water soluble for easy water clean-up



Bio-Based; Environmentally friendly



**AVAILABLE IN GALLON (128 OZ) & 24 OZ**

\* Biodegradable liquid, recyclable bottle and cap

**Page 18**



**B3C FUEL SOLUTIONS**  
PHONE: 843. 347. 0482  
FAX: (866) 929-7173  
B3CFuel.com



For our **FULL CATALOG**, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.







## BAR & CHAIN LUBRICANT CONCENTRATE

B3C Fuel Solutions has engineered the best performing bar & chain lubricant into a NEW CONCENTRATE and DELIVERY METHOD to provide you with better performance and improved efficiencies!

B3C's BETTER THAN OIL Bar & Chain Lubricant is a ground-breaking, new, environmentally friendly, oil free, water soluble bar & chain lubricant that contains no petroleum ingredients. It OUTPERFORMS petroleum based lubricants.

NOW THE INDUSTRY'S FIRST CONCENTRATE IN A FILLABLE MIX CONTAINER provides amazing advantages in SIZE, SPACE, & WEIGHT and therefore savings in SHIPPING & FUEL COSTS.

### EASY! JUST ADD WARM WATER TO BAG TO MAKE 1 GALLON

- WORKS IN ALL CHAINSAWS - GAS, BATTERY, ELECTRIC
- HIGH TACK FORMULA HELPS REDUCE SLING & THROW OFF
- ANTI-WEAR ADDITIVE TO HELP EXTEND BAR & CHAIN LIFE
- ALL SEASON PERFORMANCE (10 DEGREES F)
- RUST & CORROSION INHIBITORS
- BIO BASED AND BIODEGRADABLE\*
- CONTAINS NO PETROLEUM INGREDIENTS
- PATENT PENDING


CONCENTRATE BAG BEFORE ADDING WATER



AFTER WATER ADDED AND SHAKEN



**HOW TO USE VIDEO:**  
place phone camera over image below, then click the link that pops up.



\* Biodegradable liquid, recyclable bag & cap

up to **80%** savings  
• SHIPPING  
• SPACE  
• WEIGHT  
• FUEL COSTS

4 BAGS OF 1 GALLON CONCENTRATE FIT THE SAME SPACE AS A STANDARD 1 GALLON JUG



SINGLE GALLON JUG of bar & chain lubricant in same shipping box

### BETTER PERFORMANCE & IMPROVED EFFICIENCIES



OUTPERFORMS petroleum in key metrics like FRICTION & WEAR



BIO-BASED & PLANT FRIENDLY Environmentally friendly



NON-STAINING to pavers, concrete, house paint / siding, walkways, & more



WATER SOLUBLE for easy water clean-up



SAVINGS in SHIPPING, SPACE, WEIGHT, & FUEL COSTS

Page 19

B3C FUEL SOLUTIONS  
PHONE: 843. 347. 0482  
FAX: (866) 929-7173  
B3CFuel.com



For our FULL CATALOG, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.





**PLANT-BASED AND BIODEGRADABLE**

**MECHANIC IN A BOTTLE (MIB) All Purpose Penetrating Lubricant with FRICTION FIX** is engineered with unique benefits to outperform all lubricants. It is a patent-pending **ADVANCED BIO-ENGINEERED LUBRICANT\*** that delivers **SUPERIOR PERFORMANCE** with all of the benefits of being **GREEN!**


Engineered to protect your tools, equipment, and more, this polar lubricant uses unique surface bonding technology combined with a uniquely engineered **VAPOR CORROSION INHIBITOR** that emits a vapor in enclosed areas (e.g. grill lid, tool box). This vapor coats surfaces to provide a 360 degree protective barrier for ongoing rust and corrosion protection.

**FRICTION FIX** is a revolutionary oil additive that drastically reduces friction and wear on moving parts.

**MIB All Purpose Penetrating Lubricant with FRICTION FIX** delivers superior rust and corrosion protection and provides the most advanced lubrication available to ensure your tools, equipment, and any lubricated item looks and operates better over time.

## SUPERIOR PERFORMANCE

- ✦ **FRICTION FIX** drastically reduces friction & wear on moving parts
- ✦ **VAPOR CORROSION INHIBITOR** technology emits a vapor in enclosed areas (e.g. grill lid, tool box). This vapor coats surfaces to provide a 360 degree protective barrier for ongoing rust and corrosion protection.
- ✦ **CORROSION PROTECTION** from corrosion & oxidation
- ✦ **CLEANS & PROTECTS**
- ✦ **PENETRANTS TO FREE RUSTED PARTS**
- ✦ **PLANT-FRIENDLY**
- ✦ **EASY-USE CAP**



## THE BENEFITS OF BEING GREEN

- ✦ **LOW VOC**
- ✦ **LOW ODOR**
- ✦ **PETROLEUM-FREE**
- ✦ **LOW CARBON FOOTPRINT**
- ✦ **PLANT-BASED, SUSTAINABLE FORMULA**

\* Biodegradable liquid, recyclable bottle and cap



**GEL LUBRICANT**



**NEW  
4 OZ  
GEL**

**THIN SPRAYABLE LUBRICANT**



**B3C FUEL SOLUTIONS**  
PHONE: 843. 347. 0482  
FAX: (866) 929-7173  
B3CFuel.com



For our **FULL CATALOG**, place your phone camera over the image to the right, then click the link that pops up. Or enter <https://bit.ly/B3Ccatalog> in any web browser.







- PLANT-BASED and BIODEGRADABLE\*
- FLEXIBLE, BENDIBLE NECK ATTACHMENT for hard to reach locations; ensures COMPATIBILITY with ALL PRESSURE WASHER BRANDS
- ECONOMICAL / ENOUGH PRODUCT FOR MULTIPLE PRESSURE WASHERS
- ANTIFREEZE (SUBZERO) Temperature Protection
- PREVENTS & REVERSES Mineral Deposits with ADVANCED CHELATE Formula
- SUPERIOR LUBRICATION for Pump Valves & Seals
- SUPERIOR CORROSION PROTECTION protects from corrosion & oxidation
- NO PETROLEUM SOLVENTS (PETROLEUM-FREE)
- LOW ODOR

\* Biodegradable liquid, recyclable bottle and cap

3/4 inch standard male hose thread

Flexible, bendible neck  
- for hard to reach locations  
- ensures full bottle utilization

8 ounce, squeeze bottle

Threaded neck attachment



## Versus INDUSTRY LEADING COMPETITOR

- CORROSION PROTECTION - In this BEFORE / AFTER test on brass material, MIB Pump Saver demonstrated superior protection compared to the untreated baseline (STATIC) and the competitor. Both the STATIC and COMPETITOR treated areas of the brass show much greater corrosion than the area treated by MIB Pump Saver.
- TEMPERATURE - MIB Pump Saver works in **subzero** temperatures / COMPETITOR only works to **10°F**.
- LUBRICATION - MIB Pump Saver has **superior lubrication** / COMPETITOR has **limited lubrication**.
- PERFORMANCE - MIB Pump Saver **outperforms** COMPETITOR in saving and protecting pumps.




BEFORE treatment

AFTER treatment


## Flexible Pour Hose for Ease of Use and 100% Compatibility with All Pressure Washer Brands

- ELIMINATES DIFFICULT INLET ACCESS: The unique, flexible pour hose design allows 100% compatibility with ANY pressure washer and eliminates the common frustration of trying to install on hard to reach inlets.
- ECONOMICAL / FULL PRODUCT UTILIZATION: The flexible hose and squeeze bottle allows customers to tilt up the bottle, then squeeze, to obtain full utilization of the product for multiple pressure washers (unlike competitive products).



EASY  
INSTALL  
FLEXIBLE  
POUR  
HOSE

EASY  
ACCESS  
TO ANY  
PRESSURE  
WASHER  
INLET



SQUEEZE  
BOTTLE

EASY TO USE

COMPATIBLE  
WITH ANY  
PRESSURE  
WASHER

FULL  
UTILIZATION  
SQUEEZE  
BOTTLE



# MULCH STAY-PUT

## MULCH & STONE GLUE & PRESERVATIVE

**PROTECTS & PRESERVES  
ALL TYPES & COLORS OF  
MULCH, STONE, PINE STRAW**



Wood & Bark Mulch



Stone & Pea Gravel



Pine Straw



Rubberized Mulch

- LASTS UP TO 2 YEARS
- UV STABILIZED
- DRIES FAST & CLEAR
- RAIN PROOF ONCE DRY
- PREVENTS EROSION & WASHOUT
- HELPS RETAIN SHAPE & COLOR
- PLANT FRIENDLY
- MAKES EASIER TO BLOW OFF LEAVES
- READY TO USE; DO NOT DILUTE

**STRONGEST FORMULA  
AVAILABLE**  
**MORE THAN  
DOUBLE**  
**THE STRENGTH  
OF COMPETITIVE  
PRODUCTS**








# ADVANCED TECHNOLOGY FOR SERVICING DEALERS

## 1 MIB PRO 2-IN-1+ GASOLINE QUALITY TEST

TEST SWABS  
IMMEDIATELY  
IDENTIFY BAD  
FUEL AND WATER  
IN A PASS / FAIL  
FORMAT



contains  
**100**  
swabs



## QUICK PASS OR FAIL TEST SWAB FOR BAD FUEL AND WATER

### FEATURES/BENEFITS/APPLICATIONS

- ULTRA-SENSITIVE PASS / FAIL TEST
- TESTS FOR OXIDIZED (STALE) FUEL
- TESTS FOR WATER IN THE FUEL
- KEEPS BAD FUEL OUT OF YOUR EQUIPMENT
- WORKS IN THE PRESENCE OF 2-CYCLE OIL
- ELIMINATES JUDGEMENT CALLS
- 100 COUNT CYLINDER
- THE ONLY IDENTIFICATION SYSTEM OF ITS KIND IN THE INDUSTRY THAT ALLOWS YOU TO QUICKLY TEST & IDENTIFY FUEL RELATED ISSUES.
- THIS UNIQUE SYSTEM ALLOWS YOU TO QUICKLY VERIFY WHETHER AN EQUIPMENT PROBLEM IS RELATED TO FUEL AND THEREFORE NOT WARRANTABLE.
- THIS TEST IS AN ADVANCEMENT OF TESTS THAT HAVE BEEN APPROVED AND USED BY MANY MANUFACTURERS

## 2 MIB PRO ENGINE QUICK FIX

ADDITIVE TO QUICKLY FIX  
FUEL RELATED ENGINE  
PROBLEMS



## ENGINE QUICK FIX ADDITIVE

### FEATURES/BENEFITS/APPLICATIONS

- ENCAPSULATES WATER / REVERSES PHASE SEPARATION
- FIXES ETHANOL ISSUES
- REMOVES WATER
- CLEANS CARBON & VARNISH
- BREAKS DOWN FUEL GUMS AND SHELLAC (CLEANS)
- RESTORES & REJUVENATES RUBBER / PLASTIC COMPONENTS
  - RESTORES (SWELLS) RUBBER THAT HAS SHRUNK UP TO 2% (NO OVER SWELLING)
  - PROPRIETARY LOW MOLECULAR WEIGHT ESTERS
  - STOPS AND REVERSES EMBRITTLEMENT
- INSTANT RESULTS
- BREAKS DOWN HYDROLYSIS OF DETERGENTS IN LUBRICANTS
- PACIFIES ALUMINUM, A CATIONIC PROTECTANT
  - AFFINITY FOR RUBBER AND METAL
- ABILITY TO WICK VERTICALLY (HYDRAULIC WICKING ACTION)
- DRAMATICALLY REDUCES SURFACE TENSION TO 20 DYNES
  - ALLOWS THE FORMULA TO PENETRATE DEEP INTO THE CARBURETOR CIRCUITRY
- 64 OZ
- NEW INJECTION SYSTEM OPTIMIZES DISTRIBUTION OF THE INSTANT FIX SOLUTION, PLACING IT DIRECTLY WHERE IT IS NEEDED (REQUIRES LESS).
- LOCATION PLUS FUNCTION LEADS TO REPAIRS UP TO 80% OF THE TIME FOR FUEL RELATED ISSUES.

## 3 MIB PRO ULTRASONIC CLEANER

ULTRA-CONCENTRATED,  
NATURALLY DERIVED  
ULTRASONIC CLEANER  
ENGINEERED TO  
CLEAN THE TOUGHEST  
CONTAMINANTS IN  
SMALL ENGINES



makes  
**6**  
gallons

## ENGINEERED FOR SUPERIOR SMALL ENGINE CLEANING

### FEATURES/BENEFITS/APPLICATIONS

- CLEANS TOUGHEST CONTAMINANTS ON ALL METAL AND PLASTIC SURFACES
- ULTRA-CONCENTRATED
- ANTI-EVAPORATION FORMULA
- CHELATING DECARBONIZING AGENTS
- ANTI-CORROSIVE
- ANTI-REDEPOSITION AGENT
- REACHES THE SMALLEST CAVITIES
- SUPERIOR RINSEABILITY
- ENGINEERED FOR SUPERIOR CLEANING
- 1 GALLON
- 50% NATURALLY DERIVED
- BIODEGRADABLE
- WATER BASED
- SOLVENT FREE
- MAKES 6 GALLONS



DISTRIBUTOR / DEALER ITEM NO RETAIL PRICE (MSRP)

Page 23

Advanced Technology for Servicing Dealers






www.B3Cfuel.com 843-347-0482





# PART NUMBERS



	PRODUCT DESCRIPTION	B3C Item Number	Ounces / Quantity Per Pack	Case Quantity
	Mechanic In A Bottle Gas & Diesel All-Engine Formula - 4oz Bottle (Display Tray)	2-004-12	4	12
	Mechanic In A Bottle Gas & Diesel All-Engine Formula - 8oz Bottle (Display Tray)	2-008-9	8	9
	Mechanic In A Bottle Gas & Diesel All-Engine Formula - 24oz Bottle	2-024-5	24	5
	Mechanic In A Bottle Gas & Diesel All-Engine Formula - 24oz Bottle <b>PROMO</b> DISPLAY BOX	2-024-9	24	9
	Mechanic In A Bottle Gas & Diesel All-Engine Formula - Gallon	2-128-1	128	1
	Mechanic In A Bottle Gas & Diesel All-Engine Formula - 55 Gallon	8-255-1	7,040	1
	MIB Pro Engine Quick Fix GALLON	2-128-1MPQ	128	1
	Mechanic in a Bottle PRO Ultra-Concentrated Pressure Washer Detergent & Ultrasonic Cleaner 24 oz	2-024-5MPUP	24	5
	MIB Pro Ultrasonic Cleaner 128 oz, Single	2-128-1MPU	128	1
	MIB Pro Swabs - 100 ct (single)	7-100-1	100	1
	MIB Pro Swabs - 100 ct (case of 9)	7-100-9	100	9
	Ethanol Shield 2oz (Display Tray)	1-002-12C	2	12
	Ethanol Shield 4oz (Display Tray)	1-004-12C	4	12
	Ethanol Shield 8oz (Display Tray)	1-008-9C	8	9
	Ethanol Shield 24oz Bottle	1-024-5C	24	5
	Ethanol Shield Gallon	1-128-1	128	1
	Ethanol Shield 55 Gallon	8-155-1C	7,040	1
	***NEW***			
	Ethanol Shield Marine Fuel Stabilizer 24 oz case of 5	1-024-5M	24	5
	Ethanol Shield Marine Fuel Stabilizer Gallon	1-128-1M	128	1
	Diesel Mechanic In A Bottle 24oz	3-024-5	24	5
	Diesel Mechanic In A Bottle Gallon	3-128-1	128	1
	Diesel Mechanic In A Bottle 55 Gallon	8-355-1	7,040	1
	Fuel Life 18 g (5 pack pouch)	6-022-8	N/A	8
	Fuel Life 100 Gram Single	6-100-12	N/A	12
	Diesel Tank Snake 2 Foot / 2" Diameter Yellow INSTANT	6-024-1IN	1	1
	Diesel Tank Snake 4 Foot / 2" Diameter Yellow INSTANT	6-048-1IN	1	1
	Diesel Tank Snake 2 Foot / 1" Diameter RED STORAGE	6-024-1-XT	1	1
	Diesel Tank Snake 1 Foot / 2" Diameter Black STORAGE	6-012-1-X	1	1
	Diesel Tank Snake 3 Foot / 2" Diameter Black STORAGE	6-036-1-X	1	1
	Diesel Tank Snake 5 Foot / 2" Diameter Black STORAGE	6-060-1-X	1	1
	Diesel Tank Snake 1.5 Foot / 2.5" Diameter white HEAVY DUTY STORAGE	6-018-1-XD	1	1
	LARGER CUSTOM SIZES AVAILABLE - PLEASE CALL FOR QUOTE			





# PART NUMBERS



PRODUCT DESCRIPTION	B3C Item Number	Ounces / Quantity Per Pack	Case Quantity
DRYOIL Molecular Water Absorber dries oil on machine / in TANK SMALL SIZED EQUIPMENT TANKS (approx. size 7" long / 1" Diameter)	DZ-07-SS	1	1
DRYOIL Molecular Water Absorber dries oil on machine / in TANK MEDIUM SIZED EQUIPMENT TANKS (approx. size 12" long / 1" Diameter)	DZ-12-MS	1	1
DRYOIL Molecular Water Absorber dries oil on machine / in TANK LARGE SIZED EQUIPMENT TANKS (approx. size 36" long / 2" Diameter)	DZ-36-LS	1	1
DRYOIL Molecular Water Absorber dries oil in STORAGE Dries OIL & HEADSPACE in 55 GALLON DRUMS	DZ-24-DF	1	1
DRYOIL Molecular Water Absorber dries oil in STORAGE Dries OIL & HEADSPACE in 275+ GALLON DRUMS	DZ-24-TF	1	1

DRYOIL UNITS INCLUDE TETHER FOR EASY RETRIEVAL

NEW



Mechanic in a Bottle All-Purpose Penetrating Gel Lubricant Squeeze Bottle w/ yorker cap, 4 oz (Case of 12)	13-004-12SQ	4	12
Mechanic in a Bottle All-Purpose Penetrating Lubricant Thin Sprayable Formula - Gallon ( Sprayer/hose available separately - see below)	13-128-1SP	128	1
Mechanic In A Bottle Penetrating Lubricant Thin Sprayable Formula SPRAYER ACCESSORY Fits gallon jug (13-128-1SP) . Trigger Sprayer comes with a 3 ft hose.	13-SPKIT	1	1

NEW



Hydraulic Oil Fix 24 oz Case of 5	21-024-5	24	5
Hydraulic Oil Fix 1 Gallon	21-128-1	128	1

NEW



Mechanic In A Bottle Pump Protector & Winterizer 8 oz	2-008-6PP	8	6
---	-----------	---	---

NEW



Mechanic In A Bottle Plant-Based Biodegradable Bar & Chain Lubricant - 24 oz case of 5	20-024-5MB	24	5
Mechanic In A Bottle Plant-Based Biodegradable Bar & Chain Lubricant - Gallon case of 4	20-128-4MB	128	4

NEW








Mulch Stay-Put 1 Gallon - Single	14-128-1	128	1
Mulch Stay-Put 1 Gallon (case of 4)	14-128-4	128	4
Mulch Stay-Put 55 Gallon Drum	14-055-1	7,040	1
Mulch Stay-Put 275 Gallon Tote	14-275-1	35,200	1



## PART NUMBERS



	PRODUCT DESCRIPTION	B3C Item Number	Ounces / Quantity Per Pack	Case Quantity
				
	Better Than Oil CONCENTRATE - Makes 1 gallon	20-128-1CON	128	16
				
	Oil Lock ( 1.7 lb bag) with Hydrocarbon Test Strips ( 10 ct)	7-025-1	N/A	1
				
	Hydrocarbon Test Strips ( 10 ct)	7-041-1	10	1
	GASOLINE			
	MIB GAS DUAL Test Swabs 3 Pack (Consumer) RETAIL	7-903-12	3	12
	MIB Pro Swabs - 100 ct (case of 9)	7-100-9	100	9
	DIESEL			
	DEF Contamination Test (100 count) Case 9	7-040-9	N/A	9
	Diesel MIB 4 N 1 Fuel Quality Test (10 pack with extended Swab) RETAIL	7-014-12	N/A	12